				CE AGENCY	REPORT	
		INFORMA	MOITA	REPORT	CD NO.	
UNTRY	Rumania		<u>C</u>	and the constant of the consta	DATE DISTR 17 Marol	h-1952
IBJECT	Technometal	Factory at Buc	harest;		NO OF PAGES 5	•
ACE QUIRED		<u> </u>	***	WL. W	NO OF ENCLS.	50X1-HUM
TE OF				CIRCULATE	SUPPLEMENT TO REPORT NO.	JOX 1-HOW
THE DEITED S. C., 31 AND 178 CONVENT BITED BY LAU	Diates within the Deani 24, as amended. Its trai is in any Marker to an E Pepproduction of this		A AMARCA	NEORIS TITON	LUATED INFORMATION	50X1-HUN
		arajendar objik		CE AGENCY	REPOPT	
3。	by the Minis the only fac of spare par of Light Inc of its Secto on similar I	stry of Light Inctory of its kin rts to 132 textion dustry has plant ons(tannery, centions the Technology)	ndustry (wond in Ruma ile mills. ned to est ramics, gl chnometal.	Veaving and Knitt Ania and is respo For the period Cablish a spare p Cassware, etc.).	y. It is controlled ting Sector). It is onsible for the suppl i 1951-52 the Ministr parts factory for eac These were to opera	y h te
	weaving, kni value of the	itting and spinr soutput amounce	ning machi ed to 130,	nery) for 132 te 000,000 lei.	extile mills. The	
		manufacture of the same of the	500 tons o	f spare parts am	ounting to about	
4.0	valued at 50 on the compl of 1951. The	led was planned 00,000,000 led w letion of the pl	was forsee Lanned exp	luction of 800 to in for 1952. The mansion of the pl	ons of spare parts use figures depended ant before the end on costs as a result	
5.	200,000,000 valued at 50 on the compl of 1951. Th of new produ During March Light Indust instructions	lei was planned 00,000,000,000 lei w letion of the planey also took in action methods. 1 - June 1951, tory prepared plane	was forsee lanned exp ito accoun the Projec ans for th er. Sengov	uction of 800 to n for 1952. The ansion of the pl t lower producti ts Department of e expansion of t icl. The latter	ns of spare parts se figures depended ant before the end	
	200,000,000 valued at 50 on the compl of 1951. Th of new produ During March Light Indust instructions June 1951 to The quality mediocre" on cast iron),	lei was planned 00,000,000,000 lei we letion of the planetion methods. - June 1951, to try prepared planes of the Minister of the spare panetion account of the poor condition	was forses lanned exp ito accoun the Project ans for the er, Sensov as on the : arts produ- e inferior of the ma	uction of 800 to n for 1952. The ension of the pl t lower producti ts Department of e expansion of t ici. The latter spot. ced was consider quality of raw i chinery, and ine	ens of spare parts use figures depended ant before the end on costs as a result the Ministry of the factory, on the visited the site in ed to be "very materials (stoel.	
	200,000,000 valued at 50 on the compl of 1951. Th of new produ During March Light Indust instructions June 1951 to The quality mediocre* on cast iron), inexperience The bulk of were all of Hungarian,	lei was planned 00,000,000,000 lei we letion of the planetion methods. The June 1951, the try prepared planetion methods of the Minister of the spare part account of the poor condition of technical put the installation pre-war vintage	was forses lanned explict account the Project ans for the product of the major some arts product of the major some and of value and of	ts Department of expansion of the plat lower production to be expansion of the expansion of the latter spot. ced was tonsider quality of raw a chinery, and ineand senior administration of the latter spot.	ens of spare parts use figures depended ant before the end on costs as a result the Ministry of the factory, on the visited the site in ed to be "very materials (stoel, fficiency and istrative staff, 50X	
6.	200,000,000 valued at 50 on the compl of 1951. The of new produ During March Light Indust instructions June 1951 to The quality medicore" on cast ivon), inexperience The bulk of were all of Hungarian, the installa	lei was planned 00,000,000 lei we letion of the planetion methods. In June 1951, the property prepared planetion of the Minister of the planetion of the spare part account of the poor condition of technical put the installation pre-war vintage stions, a large	was forses lanned explict account the Project ans for the product of the major some arts product of the major some and of value and of	ts Department of expansion of the plat lower producti ts Department of expansion of the latter spot. ced was consider quality of raw achinery, and ineand senior a minus lathes, planes aried origin (Soviet lathes, and the soviet lathes are soviet lathes.	ens of spare parts use figures depended ant before the end on costs as a result the Ministry of the factory, on the visited the site in ed to be "very materials (steel, fficiency and istrative staff. 50X	1-HUM
6., 7.	200,000,000 valued at 50 on the compl of 1951. The of new produ During March Light Indust instructions June 1951 to The quality medicore" on cast ivon), inexperience The bulk of were all of Hungarian, the installa	lei was planned 00,000,000 lei wolletion of the planetion methods. In June 1951, the property prepared planetion of the Minister of the Minister of the spare part account of the poor condition of technical publications, a large ASSIFICATION (EMAIL AND IN THE CONTROLLE)	the Project ans for the Project ans for the Project ans for the Project arts produced inferior of the major sound are and of vicinity and project and	ts Department of expansion of the plat lower producti ts Department of expansion of the exp	ens of spare parts use figures depended ant before the end on costs as a result the Ministry of the factory, on the visited the site in ed to be "very materials (steel, fficiency and istrative staff. 50X	1-HUM

50X1-HUM

SECRET/CONTROL - U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

...2...

50X1-HUM

of a very modern design were installed during the first quarter of 1951. They were, however, of such inferior quality that they were considered "worn out" after three months use.

- The plant obtained its raw materials from the Hunedoara Combine and from Resita. The average delay in delivery amounted to five or six months in mid-1951.
- 9. At the end of June 1951 the number of personnel amounted to 280, of whom 210 were unskilled laborers.
- 10. Personalities.

Political Director Stan Stanica, Technical Director Ion Fulga. Head of Commercial Robert Novetny Department Head of Technical Mihail Grabany Office Economic Controller Alexandru Antonescu. 50X1-HUM

Head of Flanning

Veanu Christolo.

Trade Union

Ion Batranu.

- 11. Work was parried out in two shifts from 6a asto 2pon.and from 10pon.to 62 May Since early 1950 the shift from 2 to 11 has been discontinued.
- 12. Electric power was supplied by the Bucharest Grozavesti Works. The 1960 consumption of Technometal amounted to 40,000 kw. Crude oil was used in the foundry. In October 1951 the use of crude oil was to be discontinued in favor of methane gas from Copsa Mica. Construction of the supply pipeline for Technometal started in March 1951 at the Gara De Nord railway station. In July 1951 work had reached the immediate vicinity of the factory. Technometal's yearly requirement of methane gas was entimated at 700,000 cubic meters.
- 13. Since 1951 the Bucharest power works have been unable to supply "roundthe-clock" power to industrial installations. As a result, factories were requested to cut down hours of work. In the case of Technometal the shift from 2 to 11 PK was discontinued.
- 14. Location of factory and surrounding area.

The following is the key to the sketch attached as Appendix A, to this report:-

- No. 1 Gara de Nord Railroad Station.
- No. 2 B. M. (Busharest Marfurd) gapet railroad station.
- No. 3 Grivitei Avenue.
- No. 4 No. 1 Bucurestii Avenue.
- No. 5 Chitilei Road.
- No. 6 Funcil Avenue.
- No. 7 Colentina Hiver, 8-10 meters wide.
- No. 8 Railroad station Chitila-Triaj.
- No. 9 Streetcar depot.

SECRET/CONTROL - U.S. OFFICIALS ONLY

50X1-HUM

SECRET/CONTROL - U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

-3-

- No. 10 Rolling mill Uzinele Laminorul (formerly Laromet) employing 1,500 workmen.
- No. 11 Technometal factory.
- No. 12 Deserted brick kiln (Fabrica de Caramizi Bazilescu).
- No. 13 Bazilescu cemetery.
- No. 14 Straulesti cemetery.
- No. 15 Straulesti slaughterhouse.
- No. 16 Straulesti airfield and pilot training school.
- No. 17 Reinforced concrete railway bridge named Podul Constanta.

 This bridge was based on four reinforced concrete pillars.

 It was about 25 meters long and six meters high. The bridge spanned Grivitei Avenue which had a double trainline.
- No. 18 Small wooden railway bridge.

Distances.

From No. 8 to No. 11 = about 3 kms. (along the railway 15ne.) From No. 11 to No. 12 - 1,800 meters (along the railway line.) From No. 15 to No. 11 = 1 km. From No. 11 to No. 17 = 2.5 kms. From No. 17 to No. 2 = 6.2 kms. From No. 2 to No. 1 = 0.8 kms. From No. 11 to No. 1 = 0.6 kms. From No. 17 to No. 1 = 0.6 kms. From No. 17 to No. 1 = 0.6 kms.

15. Layout of the Factory.

The following is the key to the sketch attached as Appendix B. to this report:

- No. 1 No. 1 Bucurestii Avenue.
- No. 2 Muncii Avenue.
- No. 3 Colentina River.
- No. 4 Wooden fence about 1.8 meters high.
- No. 5 Entrance.
- No. 6 Doorkeeper's hut.
- No. 7 Reinforced concrete building built in 1937 and measuring 56 x 15 x 4.5 meters. This building was divided into 4 parts, as follows:
 - (a) Store containing <u>inter alia</u>: cast iron, steel, gasoline, coke, coal, parbide, bottled oxygen, tools, etc.
 - (b) Garage for three motor vehicles.
 - (c) Welding shop,
 - (d) File making department (Atelier de Pile).
- No. 8 Reinforced concrete machine shop measuring $25 \times 32 \times 5.5$ meters, containing the following machinery:-

Thirty parallel lathes from 0.30 to 3 meters and 1 to 3 h.p. Twelve automatic lathes of 0.40 meters and 1 to 3 h.p. Six semi-automatic lathes of 0.60 meters and 1 to 3 h.p. Pour small planes with 0.60 meters range. One large plane with a range of 1.60 meters. Six presses, up to 60 tons each. One circular saw. One horizontal saw.

SECRET/COUTROL - U.S. OFFICIALS ONLY

SECRET/CONTROL - U.S. OFFICIALS ONLY

OPERSOND A F	INTELLIGENCE	A F \$1773 T F 38
CHMTRAL	THE PARTY OF THE PARTY.	ALED NGY

	-la-	50X1-HUM
No. 9	Reinforced concrete building measuring 26 x 4 x 3.20 meters, divided as follows:-	
	(a) Washrooms and baths.	
	(b) Corridor	
	(c) Electrical control panel.	•
	(d) Transformer.	
No. 10	Two-story brick building 30 x 8 meters accommodating the following:-	
	Ground Floor.	
	(a) Joinery.	
٠	(b) Pathern shop.	
	First Floor.	
,	Used as a pattern store.	
No. 11	Three-story brick building 30 x 15 meters accommodating the following:-	
	Hesement.	
	Cookhouse, dining hall, provisions store.	
	Ground Floor.	
	Conference room, theatre, reception room, Cadre office.	
	First Floor.	
	Offices of the political and technical directors, commercial - work and salaries - accountancy - economic control and planning departments.	
	Second Floor.	
	living quarters for some clerks and workmen.	
	Roof.	*. •
	Water tank containing 108 cubic meters, connected to a well, No. 12 below.	
No. 12 No. 13	Well, 15 meters deep. There was a six h.p. electric motor. Brick building 18 x 16 meters. The basement was used as a store for firewood; the ground floor as Communist Party offices.	
No. 14		
	(a) Concrete building 15 x 12 x 5 meters housing Storsk boiler with 62 square meters heating surface with pressure up to 15 atmospheres. The boiler was automatically fed with crude oil.	50X1-HUM
Ma 1F	Methane gas nineinne at a denth of the metern	

SECRET/SONTROL - U.S. OFFICIALS ONLY

SECRET/CONTROL = U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY


EOVI	11 11 /	ł
50X1-F	าเมง	ı

- No. 16 Methane gas control room, an underground construction and U.S. Samoteus.
- No. 17 Sentry box.


16. Expansion Work.

The figures mentioned below refer to the sketch attached as Appendix B. to this report:=

- No. 18 Reinforced concrete construction 86 x 60 meters, to be completed during the second half of 1951. It comprises two buildings, as follows:-
 - (a) Single-story construction 70 x 60 x 5 meters, which will be used as a new machine shop. Buildings Nos. 7-10 will be converted into workshops for the repair and maintenance of the factory's installations and stores.
 - (b) Two-story construction 60 x 16 meters, to be used as technical offices and baths.
- No. 19 Reinforced concrete construction 70 x 16 x 3 meters, to be completed during the second half of 1951. It comprises two buildings as follows:-
 - (a) Foundry 70 x 12 meters. A 15-ton grane was also to be installed. The present foundry (No. 14) will be converted into a tumber store for patterns.
 - (b) Concrete construction 70 x 4 x 5 meters, to accommodate the furnaces.
- No. 20 A narrow gauge line under construction since June 1951.
- No. 21 Planned location of a railroad line to be constructed by the end of 1951.



50X1-HUM



SECRET/CONTROL - U.S. OFFICIALS ONLY

50X1-HUM